

# Bibliography

- [1] E. E. Fetz and D. V. Finocchio, “Correlations between activity of motor cortex cells and arm muscles during operantly conditioned response patterns,” *Exp Brain Res*, vol. 23, no. 3, pp. 217–40., 1975.
- [2] M. A. L. Nicolelis, “Actions from thoughts,” *Nature*, vol. 409, pp. 403–407, 2001.
- [3] J.P. Donoghue, “Connecting cortex to machines: recent advances in brain interfaces,” *Nat Neurosci Supplement*, vol. 5, 2002.
- [4] Christopher Reeve Paralysis Foundation, “<http://www.christopherreeve.org/>,” 2003.
- [5] J. K. Chapin, “Using multi-neuron population recordings for neural prosthetics,” *Nat Neurosci*, vol. 7, no. 5, pp. 452–5., 2004.
- [6] J.G. Webster, *Medical Instrumentation: Application and Design*, John Wiley and Sons, New York, NY, 1998.
- [7] B. Obermaier, G.R. Muller, and G. Pfurtscheller, “Virtual keyboard controlled by spontaneous EEG activity,” *IEEE Trans Neural Syst Rehabil Eng*, vol. 11, no. 4, pp. 422–426, 2003.
- [8] N. Birbaumer, N. Ghanayim, T. Hinterberger, I. Iversen, B. Kotchoubey, A. Kubler, J. Perelmouter, E. Taub, and H. Flor, “A spelling device for the paralysed,” *Nature*, vol. 398, no. 6725, pp. 297–8., 1999.
- [9] C. Guger, G. Edlinger, W. Harkham, I. Niedermayer, and G. Pfurtscheller, “How many people are able to operate an eeg-based brain-computer interface (bci)?,” *IEEE Trans Neural Syst Rehabil Eng*, vol. 11, no. 2, pp. 145–147, 2003.
- [10] B. J. Culpepper and R. M. Keller, “Enabling computer decisions based on EEG input,” *IEEE Trans Neural Syst Rehabil Eng*, vol. 11, no. 4, pp. 354–60., 2003.
- [11] R. T. Lauer, P. H. Peckham, and K. L. Kilgore, “EEG-based control of a hand grasp neuroprosthesis,” *Neuroreport*, vol. 10, no. 8, pp. 1767–71., 1999.
- [12] G. Pfurtscheller, G. R. Muller, J. Pfurtscheller, H. J. Gerner, and R. Rupp, “Thought-control of functional electrical stimulation to restore hand grasp in a patient with tetraplegia,” *Neurosci Lett*, vol. 351, no. 1, pp. 33–6., 2003.

- [13] J. K. Chapin and K. A. Moxon, Eds., *Neural Prostheses for Restoration of Sensory and Motor Function*, Methods and New Frontiers in Neuroscience. CRC Press, Boca Raton, 2001.
- [14] P.R. Kennedy, R.A.E. Bakay, M.M. Moore, K. Adams, and J. Goldwaithe, "Direct control of a computer from the human central nervous system," *IEEE Trans on Rehab. Engr.*, vol. 8, no. 2, pp. 198 – 202, 2000.
- [15] S. A. Deadwyler and R. E. Hampson, "Ensemble activity and behavior: what's the code?," *Science*, vol. 270, no. 5240, pp. 1316–8., 1995.
- [16] M. A. L. Nicolelis, Ed., *Methods for Neural Ensemble Recordings*, CRC Methods in Neuroscience Series. CRC Press, Boca Raton, 1999.
- [17] J. K. Chapin, K. A. Moxon, R. S. Markowitz, and M. A. Nicolelis, "Real-time control of a robot arm using simultaneously recorded neurons in the motor cortex," *Nat Neurosci*, vol. 2, no. 7, pp. 664–70., 1999.
- [18] J. Wessberg, C. R. Stambaugh, J. D. Kralik, P. D. Beck, M. Laubach, J. K. Chapin, J. Kim, S. J. Biggs, M. A. Srinivasan, and M. A. Nicolelis, "Real-time prediction of hand trajectory by ensembles of cortical neurons in primates," *Nature*, vol. 408, no. 6810, pp. 361–5., 2000.
- [19] J. M. Carmena, M. A. Lebedev, R. E. Crist, J. E. O'Doherty, D. M. Santucci, D. Dimitrov, P. G. Patil, C. S. Henriquez, and M. A. Nicolelis, "Learning to control a brain-machine interface for reaching and grasping by primates," *PLoS Biol*, vol. 1, no. 2, pp. E42. Epub 2003 Oct 13., 2003.
- [20] D. M. Taylor, S. I. Tillery, and A. B. Schwartz, "Direct cortical control of 3D neuroprosthetic devices," *Science*, vol. 296, no. 5574, pp. 1829–32., 2002.
- [21] M. D. Serruya, N. G. Hatsopoulos, L. Paninski, M. R. Fellows, and J. P. Donoghue, "Instant neural control of a movement signal," *Nature*, vol. 416, no. 6877, pp. 141–2., 2002.
- [22] S. K. Talwar, S. Xu, E. S. Hawley, S. A. Weiss, K. A. Moxon, and J. K. Chapin, "Rat navigation guided by remote control," *Nature*, vol. 417, no. 6884, pp. 37–8., 2002.
- [23] S. Xu, S. K. Talwar, E. S. Hawley, L. Li, and J. K. Chapin, "A multi-channel telemetry system for brain microstimulation in freely roaming animals," *J Neurosci Methods*, vol. 133, no. 1-2, pp. 57–63., 2004.

- [24] M. A. L. Nicolelis, A. A. Ghazanfar, B. M. Faggin, S. Votaw, and L. M. Oliveira, "Reconstructing the engram: simultaneous, multisite, many single neuron recordings," *Neuron*, vol. 18, no. 4, pp. 529–537, 1997.
- [25] M. A. L. Nicolelis, D.F. Dimitrov, J.M. Carmena, R.E. Crist, G. Lehew, J. D. Kralik, and S.P. Wise, "Chronic, multisite, multielectrode recordings in macaque monkeys," *PNAS*, vol. 100, no. 19, pp. 11041 – 11046, 2003.
- [26] P. J. Rousche and R. A. Normann, "Chronic recording capability of the utah intracortical electrode array in cat sensory cortex," *J Neurosci Methods*, vol. 82, no. 1, pp. 1–15., 1998.
- [27] K. Najafi and K. Wise, "An implantable multielectrode array with on-chip signal processing," *IEEE Journal of of Solid-State Circuits*, vol. 21, pp. 1035–1044, 1986.
- [28] A.C. Hoogerwerf and K. Wise, "A three-dimensional microelectrode array for chronic neural recording," *IEEE Trans Biomed Eng*, vol. 41, no. 12, pp. 1136–1146, 1994.
- [29] Q. Bai, K. Wise, and D. Anderson, "A high-yield microassembly structure for three-dimensional microelectrode arrays," *IEEE Transactions on Biomedical Engineering*, vol. 47, no. 3, pp. 281–289, 2000.
- [30] D. Kipke, R.J. Vetter, J.C. Williams, and J.F. Hetke, "Silicon-substrate intracortical microelectrode arrays for long-term recording of neuronal spike activity in cerebral cortex," *IEEE Trans Neural Syst Rehabil Eng*, vol. 11, no. 2, pp. 151–155, 2003.
- [31] K. A. Moxon, S. C. Leiser, G. A. Gerhardt, K. A. Barbee, and J. K. Chapin, "Ceramic-based multisite electrode arrays for chronic single-neuron recording," *IEEE Trans Biomed Eng*, vol. 51, no. 4, pp. 647–56., 2004.
- [32] C. T. Nordhausen, E. M. Maynard, and R. A. Normann, "Single unit recording capabilities of a 100 microelectrode array," *Brain Res*, vol. 726, no. 1-2, pp. 129–40., 1996.
- [33] A. Branner, R. B. Stein, and R. A. Normann, "Selective stimulation and recording using a slanted multielectrode array," in *First Joint BMES/EMBS Conference*, Atlanta, GA, 1999.
- [34] A. Branner, R. B. Stein, and R. A. Normann, "Selective stimulation of cat sciatic nerve using an array of varying-length microelectrodes," *J Neurophysiol*,

- vol. 85, no. 4, pp. 1585–94., 2001.
- [35] P. J. Rousche and R. A. Normann, “A method for pneumatically inserting an array of penetrating electrodes into cortical tissue,” *Ann Biomed Eng*, vol. 20, no. 4, pp. 413–22, 1992.
- [36] D.A. Henze, S. Borhegyi, J. Csicsvari, A. Mamiya, K.D. Harris, and G. Buzsaki, “Intracellular features predicted by extracellular recordings in the hippocampus in vivo,” *J Neurophysiol*, vol. 84, pp. 390–400, 2000.
- [37] M. Abeles, *Corticonics*, Cambridge University Press, Cambridge, 1991.
- [38] R. Plonsey and R. Barr, *Bioelectricity : A Quantitative Approach*, Plenum Press, New York, 1991.
- [39] M.S. Lewicki, “A review of methods for spike sorting; the detection and classification of neural action potentials,” *Network*, vol. 9, no. 4, pp. R53–R78, 1998.
- [40] R. Chandra and L. M. Optican, “Detection, classification, and superposition resolution of action potentials in multiunit single-channel recordings by an on-line real-time neural network,” *IEEE Trans Biomed Eng*, vol. 44, no. 5, pp. 403–412, 1997.
- [41] J.P. Donoghue, J.N. Sanes, N.G. Hatsopoulos, and G. Gaal, “Neural discharge and local field potential oscillations in primate motor cortex during voluntary movements,” *J Neurophysiol*, vol. 79, pp. 159–173, 1998.
- [42] K. Wise, “Micromachined interfaces to the cellular world,” *Sensors and Materials*, vol. 10, no. 6, pp. 385–395, 1998.
- [43] K.S. Guillory and R. A. Normann, “A 100-channel system for real time detection and storage of extracellular spike waveforms,” *J Neurosci Methods*, vol. 91, pp. 21–29, 1999.
- [44] T. Yoon, E. Hwang, D. Shin, S. Park, S. Oh, S. Jung, H. Shin, and S. Kim, “A micromachined silicon depth probe for multichannel neural recording,” *IEEE Trans Biomed Eng*, vol. 47, no. 8, pp. 1082–1087, 2000.
- [45] T. Akin, K. Najafi, and R. Bradley, “A wireless implantable multichannel digital neural recording system for a micromachined sieve electrode,” *IEEE Journal of Solid-State Circuits*, vol. 33, no. 1, pp. 109–118, 1998.

- [46] Alpha Omega, “<http://www.alphaomega-eng.com>,” .
- [47] A. P. Chandran, K. Najafi, and K. Wise, “A new DC baseline stabilization scheme for neural recording microprobes,” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Atlanta, GA, 1999, vol. 1, p. 386.
- [48] M. Dagtekin, W. Lui, and R. Bashirullah, “A multi-channel chopper-modulated neural recording system,” in *IEEE/EMBS*, Istanbul, Turkey, 2001.
- [49] D.S. Won, P.D. Wolf, and J. C. Morizio, “Design of a switched capacitor filter for an integrated circuit neurochip,” in *Biomedical Engineering Society Annual Conference*, Durham, NC, 2001.
- [50] Plexon Inc., “RASPUTIN - MAP control software user’s guide,” 2004.
- [51] P. Irazoqui-Pastor, I. Mody, and J.W. Judy, “Transcutaneous RF-powered neural recording device,” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Houston, TX, 2002, vol. 3.
- [52] M. Mojarradi, D. Binkley, B. Blalock, R. Andersen, N. Ulshoefer, T. Johnson, and L. Del Castillo, “A miniaturized neuroprosthesis suitable for implantation into the brain,” *IEEE Trans Neural Syst Rehabil Eng*, vol. 11, no. 1, pp. 38–42., 2003.
- [53] A. J. Lukes, A. T. Lear, and R. K. Snider, “Development of a wireless system for auditory neuroscience,” *Biomed Sci Instrum*, vol. 37, pp. 119–24, 2001.
- [54] K. Kim and S. Kim, “Neural spike sorting under nearly 0-dB signal-to-noise ratio using nonlinear energy operator and artificial neural-network classifier,” *IEEE Trans Biomed Eng*, vol. 47, no. 10, pp. 1406–1411, 2000.
- [55] E. Hulata, R. Segev, and E. Ben-Jacob, “A method for spike sorting and detection based on wavelet packets and shannon’s mutual information,” *J Neurosci Methods*, vol. 117, pp. 1–12, 2002.
- [56] J. C. Letelier and P. P. Weber, “Spike sorting based on discrete wavelet transform coefficients,” *J Neurosci Methods*, vol. 101, no. 2, pp. 93–106., 2000.
- [57] “<http://www.dlink.com>,” .
- [58] Thomas Zoltek, “Comparing bluetooth and ieee 802.11,” in *Internet Device Builder’s Conference*, New York, NY, 2000.

- [59] “<http://www.bluetoothcentral.com>,” .
- [60] “<http://www.irda.org>,” .
- [61] L.E. Frenzel, “Ultrawideband wireless: Not-so-new technology comes into its own,” *Electronic Design Online*, vol. 1869, 2002.
- [62] K. A. Moxon, J. C. Morizio, J. K. Chapin, M. A. Nicolelis, and P. Wolf, “Designing a brain-machine interface for neuroprosthetic control,” in *Neural Prostheses for Restoration of Sensory and Motor Function*, J. K. Chapin and K. A. Moxon, Eds. CRC Press, Boca Raton, FL, 2001.
- [63] B. C. Wheeler, “Automatic discrimination of single units,” in *Methods for Neural Ensemble Recordings*, M. A. Nicolelis, Ed. CRC Press LLC, Boca Raton, 1999.
- [64] R.N. McDonough and A.D Whalen, *Detection of Signals in Noise*, Academic Press, San Diego, 2nd edition, 1995.
- [65] S. N. Gozani and J. P. Miller, “Optimal discrimination and classification of neuronal action potential waveforms from multiunit, multichannel recordings using software-based linear filters,” *IEEE Trans Biomed Eng*, vol. 41, no. 4, pp. 358–72., 1994.
- [66] I.N. Bankman, K.O. Johnson, and W. Schneider, “Optimal detection, classification, and superposition resolution in neural waveform recordings,” *IEEE Trans Biomed Eng*, vol. 40, no. 8, pp. 836–841, 1993.
- [67] X. Yang and S. Shamma, “A totally automated system for the detection and classification of neural spikes,” *IEEE Trans Biomed Eng*, vol. 35, no. 10, pp. 806–816, 1988.
- [68] K. Kim and S. Kim, “Wavelet-based action potential detector for the extracellular neural signal with low signal-to-noise ratio,” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Houston, TX, 2002, vol. 3, pp. 2016–2017.
- [69] S. Mukhopadhyay and G.C. Ray, “A new interpretation of nonlinear energy operator and its efficacy in spike detection,” *IEEE Trans Biomed Eng*, vol. 45, no. 2, pp. 180–187, 1998.
- [70] H. Park, D. Jeong, and K. Park, “Automated detection and elimination of

- periodic ECG artifacts in EEG using the energy interval histogram method,” *IEEE Trans Biomed Eng*, vol. 49, no. 12, 2002.
- [71] J.F. Kaiser, “On a simple algorithm to calculate the energy of a signal,” in *IEEE International Conference on Acoustics, Speech, and Signal Processing*, Albuquerque, NM, 1990, pp. 381–384.
- [72] R. Agarwal, J. Gotman, D. Flanagan, and B. Rosenblatt, “Automatic EEG analysis during long-term monitoring in the ICU,” *Electroencephalogr Clin Neurophysiol Suppl*, vol. 107, 1998.
- [73] G. Calvagno, M. Ermani, R. Rinaldo, and F. Sartoretto, “A multiresolution approach to spike detection in EEG,” in *IEEE International Conference on Acoustics, Speech, and Signal Processing*, Istanbul, Turkey, 2000.
- [74] M. Atit, J. Hagan, S. Bansal, R. Ichord, R. Geocadin, C. Hansen, D. Sherman, and N. Thakor, “EEG burst detection: Performance evaluation,” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Atlanta, GA, 1999, vol. 1, p. 441.
- [75] L. Fang, *Multiple Unit Action Potential Sorting: Investigation of features, algorithms, and parameters for a fully automated system*, Masters thesis, University of Illinois, 1991.
- [76] S. Sunder, F. El-Guibaly, and A. Antoniou, “Two’s-complement fast serial-parallel multiplier,” *IEE Proc.- Circuits Devices Syst.*, vol. 142, no. 1, 1995.
- [77] D.S. Won, D.Y. Chong, and P.D. Wolf, “Effects of spike sorting error on information content in multi-neuron recordings,” in *1st International IEEE EMBS Conference on Neural Engineering*, Capri Island, Italy, 2003.
- [78] K. Kim and S. Kim, “A wavelet-based method for action potential detection from extracellular neural signal recording with low signal-to-noise ratio,” *IEEE Trans Biomed Eng*, vol. 50, no. 8, pp. 999–1011, 2003.
- [79] G.R. Holt and C. Koch, “Electrical interactions via the extracellular potential near cell bodies,” *Journal of Computational Neuroscience*, vol. 6, pp. 169–184, 1999.
- [80] K.P. Eaton and C.S. Henriquez, “Confounded spikes generated by synchrony within neural tissue models,” *Neurocomputing*, vol. in publication, 2004.

- [81] P.R. Gray and R.G. Meyer, *Analysis and Design of Analog Integrated Circuits*, John Wiley & Sons, Inc., New York, 1993.
- [82] Q. Bai and K. Wise, "Single-unit neural recording with active microelectrode arrays," *IEEE Trans Biomed Eng*, vol. 48, no. 8, pp. 911–920, 2001.
- [83] J. Ji and K. Wise, "An implantable CMOS circuit interface for multiplexed microelectrode recording arrays," *IEEE Journal of Solid-State Circuits*, vol. 27, no. 3, pp. 433–443, 1992.
- [84] Y. Lin, C. Tsai, H. Huang, D. Chiou, and C. Wu, "Preamplifier with a second-order high-pass filtering characteristic," *IEEE Trans Biomed Eng*, vol. 46, no. 5, pp. 609–612, 1999.
- [85] P. Mohseni and K. Najafi, "A fully integrated neural recording amplifier with dc input stabilization," *IEEE Trans Biomed Eng*, vol. 51, no. 5, pp. 832–7., 2004.
- [86] I. Obeid, J. C. Morizio, K. A. Moxon, M. A. L. Nicolelis, and P.D. Wolf, "Two multichannel integrated circuits for neural recording and signal processing," *IEEE Trans Biomed Eng*, vol. 50, no. 2, pp. 255–258, 2003.
- [87] E. Covey, "Neural population coding and auditory temporal pattern analysis," *Physiology & Behavior*, vol. 69, pp. 211–230, 2000.
- [88] T.S. Rappaport, *Wireless Communications: Principles and Practice*, Prentice Hall, Upper Saddle River, NJ, 1996.
- [89] George Xylomenos and George C. Polyzos, "TCP and UDP performance over a wireless LAN," *Proceedings of the 1999 18th Annual Joint Conference of the IEEE Computer and Communications Societies, INFOCOM-99, Mar 21-Mar 25 1999*, vol. 2, pp. 439–446, 1999.
- [90] K.D. Harris, D.A. Henze, J. Csicsvari, H. Hirase, and G. Buzsaki, "Accuracy of tetrode spike separation as determined by simultaneous intracellular and extracellular measurements," *J Neurophysiol*, vol. 84, pp. 401–414, 2000.
- [91] F. Wood, M. J. Black, C. Vargas-Irwin, M. Fellows, and J. P. Donoghue, "On the variability of manual spike sorting," *IEEE Trans Biomed Eng*, vol. 51, no. 6, pp. 912–8., 2004.
- [92] C.A. Bossetti, J. M. Carmena, M. A. L. Nicolelis, and P.D. Wolf, "Transmission latencies in a telemetry-linked brain-machine interface," *IEEE Trans Biomed Eng*, vol. 51, no. 6, pp. 919–924, 2004.

[93] D. Lancaster, *Active Filter Cookbook*, Newnes, Oxford, 2 edition, 1996.